

# Transit Cargo Bus

2024.75MY



## 2024.75MY Transit Cargo Bus Specifications – visit ford.co.nz for more info.



410L 12 Seat Bus in Moondust Silver

460E 17 Seat Bus in Frozen White

		TRANSIT CARGO BUS 460E 17-SEAT	
Fuel Economy & Emissions			
Fuel	Diesel	Diesel	
Fuel Tank Capacity (Litres)	70	70	
AdBlue – 21L Tank	S	S	
Driver Assist, Safety & Security <sup>1</sup>			
Airbags – Driver & Front Passenger	S	S	
Airbags – Driver & Front Passenger Side Thorax	S	S	
Airbags – Front Side Curtain	S	S	
Pre Collision Assist (AEB with Pedestrian Detection) w/ Junction Assist	S	S	
Reverse Brake Assist	S	S	
Anti-Lock Braking System (ABS)	S	S	
Electronic Brakeforce Distribution (EBD)	S	S	
Emergency Brake Assist (EBA)	S	S	
Blind Spot Monitoring System (BLIS) w/ Cross Traffic Alert & Lane Change Warning	S	S	
Intelligent Adaptive Cruise Control w/ Adjustable Speed Limiting Device <sup>9</sup>	S	-	
Adaptive Cruise Control w/ Adjustable Speed Limiting Device	-	S	
Curve Control	S	S	
Electronic Stability Program (ESP)	S	S	
Emergency Brake Light Flashing	S	S	
Emergency Release Hammer	S	S	
Hill launch Assist	S	S	
Side Wind Stabilisation Assist	S	S	
Lane Departure Warning w/ Driver Alert System	S	S	
Lane Change Warning + Aid	S	S	
Load Adaptive Control	S	S	
Roll Over Mitigation	S	S	
Roll Stability Control	S	S	
Commercial Rating – Euro NCAP	Gold Gold		
Beltminder™ Seatbelt System (Driver & Passenger)	S	S	
Torque Vectoring Control	S	S	
Traction Control System (TCS)	S	S	
PSV Compliant <sup>12</sup>	S	S	
Front & Rear Parking Sensors	S	S	
Side Parking Sensors	S	-	
360° Camera	S	S	
Passive Anti-Theft System (PATS)	S	S	
Keyless Start	S	S	
Keyless Entry	S	S	
Perimeter Alarm	S	S	
Engine & Performance			
2.0L TDCi	S	S	
Auto-Start-Stop	S	S	
Power – Maximum	125kW	125kW	
Torque – Maximum	390Nm	390Nm	

	TRANSIT CARGO BUS 410L 12-SEAT	TRANSIT CARGO BUS 460E 17-SEAT	
Transmission			
10-speed Automatic	S	S	
Ride & Handling			
Brakes			
Front – Dual Circuit Discs w/ Brake Pad Wear Indicator & Self Adjusting Servo- Assistance	S	S	
Rear – Dual Circuit Discs	S	S	
Suspension			
Front – Independent MacPherson Struts, Variable Rate Coil Springs, Stabiliser Bar & Gas Pressured Shock Absorbers	S	S	
Rear – Single Leaf Springs, Gas Pressurised Shock Absorbers	S	S	
Steering			
Power Assisted Steering	S	S	
Reach & Rake Steering Column	S	S	
Wheels & Tyres			
Wheel Size	6.5" x 16"	6" x 16"	
Wheel Type	Steel	Steel	
Tyre Size	235/65 R16C	195/75 R16C	
Tyre Load & Speed Rating	121/119 R	107/105 R	
Rear Configuration	Single	Dual	
Spare Wheel	Steel	Steel	
Full Wheel Covers	S	-	
Exterior Features			
Roof Height			
Medium Roof	S	-	
High Roof	-	S	
Styling			
Front Bumper – Partial Body Colour	S	S	
Rear Bumper – Plastic	S	S	
Wide Bodyside Moulding – Grey	S	S	
Mudflaps – Rear	S	S	
Roof Mounted Radio Antenna	S	S	
Lights			
Automatic Headlamps	S	S	
Automatic Highbeam	S	S	
Daytime Running Lights – Halogen	S	S	
Front Fog Lamps	S	S	
Rear Fog Lamps	S	S	
Headlights – Halogen	S	S	
Headlights – Manual Levelling	S	S	
Lights – Side Marker Lamps	-	S	
Lights – Roof Marker Lamps	-	S	
High Mounted Stop Light w/ LED Downlight	S	S	
Visibility			
Mirrors – Heated, Power Adjust, Side Indicators w/ BLIS	S	S	
Short Arm Mirrors	S	S	

	TRANSIT CARGO BUS 410L 12-SEAT	TRANSIT CARGO BUS 460E 17-SEAT		TRANSIT CARGO BUS 410L 12-SEAT	TRANSIT CARGO BUS 460E 17-SEAT
Rain Sensing Wipers	S	S	Audio, Communications &		
Rear Wipers & Wash	S	-	Instruments		
Front Tinted Glass	S	S	8" Semi-Digital Instrument Cluster	S	S
Rear Privacy Glass	S	S	12" Multi-Functional Display Screen	S	S
Windows – 2nd Row Fixed	S	S	SYNC <sup>®</sup> 4 – In Vehicle Communications System Including Bluetooth <sup>® 5,7</sup>	S	S
Windows – 3rd Row Fixed	S	S	Wireless Apple Car Play & Android		c
Windows – 4th Row Fixed	S	-	Auto <sup>8</sup>	S	S
Windows - 4th Row Flip Open	-	S	Digital Owner's Manual	S	S
Fixed Rear Window	S	S	Connected Satellite Navigation <sup>6</sup>	S	S
Stowage & Carrying			Digital Rear View Mirror 'Smart Mirror'	S	S
Kerbside Slide Door	S	S	FordPass Connect <sup>4</sup>	S	S
Rear Glazed Twin Doors w/ 270 Degree	S	S	6 Radio Speakers	S	S
Opening			Steering Wheel Mounted Audio	S	S
Power Side Step	S	S	Controls <sup>7</sup>		
Front Tow Hooks	S	S	2 X USB Ports	S	S
Towbar	S	-	Dimensions & Weights		
Interior Features			Dimensions (mm) <sup>3</sup>		
Comfort & Convenience			Overall Length	5,981	6,704
Air Conditioning – Manual Front w/	S	S	Overall Width w/ Mirrors	2,474	2,474
Recirculation Heater Air Conditioning – Manual Rear	S	S	Overall Width w/o Mirrors (SRW / DRW)	2,059 / -	- / 2,126
	S	S	Overall Height*	2,512 - 2,528	2,727 - 2,757
Sensico® Wrapped Steering Wheel	2	5	Ground Clearance at Front Axle	225 - 236	228 - 238
Floor – Rubber Insulated Easy-Clean Complete Cover	S	S	Ground Clearance at Rear Axle	151 - 153	145 - 149
Front Overhead Lighting	S	S	Wheelbase	3,750	3,750
Rear Overhead Lighting	S	S	Front of Vehicle to Front Wheel Centre	1,023	1,023
Power – 12V Auxiliary Power Point	S	S	Rear of Vehicle to Rear Wheel Centre	1,208	1,931
Electric Windscreen Defroster	S	S	Front Track Width (SRW / DRW)	1,732 / -	
Electric Rear Window Defroster	S	S	Rear Track Width (SRW / DRW)	1,759 / -	- / 1,670
Windows – Power Front w/ One Touch	c		Side Door Entry Width	1,200	1,200
Up & Down	S	S	Side Load Door Entry Height	1,200	1,564
Mechanical Park Brake	-	S	Rear Door Entry Width		1,520
Electronic Park Brake	S	-		1,520	1.836 / 1.955
Rear Overhead Shelving	-	S	Rear Door Entry Height / Internal Height	1,597 / 1,718	1,020 / 1,020
Front Overhead Console	S	S	Load Space Between Wheel Arches (SRW / DRW)	1,364 / -	- / 1,140
Seats			Loading Height*	723 – 739	697 – 728
Dual Fixed Front Passenger Seat	S	-	Luggage Space Length at Floor to Top	997 1156	
Single Front Passenger Seat	-	S	of Seat	887–1,156	_
Seats – Heated Driver & Front	S	S	Luggage Space Width at Floor	1,749	-
Passenger			Vehicle Masses (kg) <sup>2</sup>		
Adjustable 2-way Headrest	S	S	Max. Payload	1,280	1,385
Driver 4-way Manual Seat Adjustment	S	S	Gross Vehicle Mass	4,100	4,600
Front Passenger 4-way Manual Seat Adjustment	-	S	Kerb Mass in Running Order (Front)	1,511	1,377
Driver Lumbar Adjust	S	S	Kerb Mass in Running Order (Rear)	1,309	1,838
Drivers Armrest	S	S	Kerb Mass in Running Order (Total)	2,820	3,215
Trim – Ebony Cloth	S	S	Gross Combined Mass	7,000	7,000
Storage	2		Front / Rear Axle Plated Mass	1,850 / 2,500	1,850 / 3,120
Multiple Bottle Holders	S	S	Towing Capacity – Maximum (kg) <sup>10</sup>		
12V Auxiliary Power Point	S	S	Braked	As per LT400	As per LT400
12 Y AUXILIALY FUWER PUILL	2	S	<b>S =</b> Standard		

Disclaimers
1. Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. See Owner's Manual for details and limitations 2. Keth Weight includes the vehicle with a full tank of fuel, without occupants, luggage or cargo and with the lightest possible combination of factory fitted optional equipment included. Minimum Kerb Weight includes the vehicle with a full tank of fuel, without occupants, luggage or cargo and with the lightest possible combination of factory fitted optional equipment. The Weight fitted possible orderals (GWN), Payload (based on Kerb Weight) is the maximum combined value of occupants, cargo, added accessories, added structures and tow ball download (when towing). Vehicle weighes before and after adding additional load, accessories or towing a trailer to ensure the maximum Gross Vehicle Mass (GVN), Gross Combined Mass (GCM) and Gross Akle Weight is subject to the Heightest are approximate and subject to individual variances, and should be confirmed before fitting any cacessories or tokeware updates. You are responsible for internet access, mobile device, internet access and software (including software updates from time) and weight owners. We have the connect Mass (GVN) and Gross Akle Weight shows and requires a compatible mobile device, internet access and software (including software updates. You are responsible for internet access, mobile networks are no longer available, the modern will cargo function on the Software. Uncluding associates and all data transmission via the modern will cargo cargo and vice. Les HerofPass set uncluding associates and all tata transmission via the modern will cargo cargo and vice. Use Remover, where we have use weight unavailable on for 4G telecommunications networks. When these networks are no longer available, the modern will cargo cargo cargo and subject to a subject to a subject to a subject to a subject to



## Choose your colour



### Ford Service Our commitment to you

Convenience. Reliability. And no nasty surprises. That's what service should be. And that's exactly what Ford promises when you have your car serviced. Feel at ease knowing that your car is being serviced by factory trained technicians using specialised diagnostic equipment. After all, nobody knows your Ford better than we do.

## Service Made Easy

When you service at Ford with our factory trained technicians, your peace of mind is our top priority. We use only Genuine Ford Parts and provide you with a vehicle health report, so you know your vehicle is being maintained the way it should. Take advantage of all the Ford Service Benefits on offer.

Intelligent Oil Life Monitoring System (IOLM). The way you drive can have a significant impact on how quickly your oil is used. IOLM is a smart system that monitors oil levels and alerts you when the oil needs changing. Discover the full range of Ford Service Benefits by visiting www.ford.co.nz/owners/service.

- 1. Warranty conditions and exclusions apply. 5 year/150,000 km Ford Express New Vehicle Warranty applies to demonstrator, dealership and service loaner first registered by the Authorised Ford Dealer from 1 September 2018. Warranty period commences on the date of delivery except where the vehicle is a dealership, demonstration or service loaner vehicle, in which case it commences on the date on which it was first registered by an Authorised Ford Dealer. Tyres and tyre tubes are excluded. Shock absorbers and batteries are subject to shorter warranty periods. See www.ford.co.nz/owners/warranty for further information.
- Is available at participating Dealers. See www.ford.co.nz/owners/service for full terms and conditions. Vehicle model availability may vary. Available at
  participating dealers on scheduled logbook services or overnight warranty repairs. For private, business and fleet customers. Booking required. Participating
  Dealers may require customers to comply with general usage conditions.

This brochure was designed to provide you with a general introduction to your Transit Cargo Bus and was correct at time of going to print. However, Ford's policy is one of continuous product development. The right is reserved to change specifications, colours and prices of the models and items illustrated and described in this publication at any time. For the latest details always consult your Ford Dealer.

FORD MOTOR COMPANY OF NEW ZEALAND LIMITED. Private Bag 76-912, Manukau City, New Zealand. Created May 2024, FOR4698



## Discover more at ford.co.nz